

Junction box

# Abox 350-35<sup>2</sup>



## Abox 350-35<sup>2</sup>

Junction box

CUSTOMIZABLE

Productnumber: 83541001

Dimensions: 250 x 250 x 115 mm

Junction box acc. to DIN EN 60670 (VDE 0606),  
 Ui=690V, with IP54 attachment bushes, M40,  
 seal range 17 - 30 mm, with blanking plug M40,  
 with sealing kit

**Grey, with high-set screw terminal, 5-pole -  
 35 mm<sup>2</sup> (4 x 10<sup>2</sup> / 4 x 16<sup>2</sup> / 4 x 25<sup>2</sup> / 4 x 35<sup>2</sup>)**



To industrial product:

<https://www.spelsberg.com/p/49043501>

## Technical Data

### electrical characteristics

Protection type UL:	not specified
Rated insulation voltage AC:	690 V
Type of protection:	IP54/IP65
Circuit integrity class:	none
Max. conductor cross section:	35 mm <sup>2</sup>
Protection class:	II

### Colours

Cover colour:	grey
---------------	------

### Dimensions

Length:	250 mm
Width:	250 mm

## Dimensions

Height:	115 mm
---------	--------

## Material characteristics

suitable for exterior use:	no
Halogen free:	yes
Industry quality:	no

## mechanical properties

Type of fastening:	Wall/ceiling mounting
Sealable:	yes
Cover screw torque:	1 Nm
Impact strength:	IK07

## Ambient conditions

max. relative humidity 25°C:	95 %
max. relative humidity 40°C:	50 %
Min. ambient temperature:	-25
Max. ambient temperature:	40
24h ambient temperature:	35

## Material

Base unit material:	Polystyrene
Cover material:	Polystyrene
Cover screw material:	Stainless steel V2A

## Certificates

Test mark:	VDE
------------	-----

## Accessories

---

KS M20 - Combi set

---

KS M25 - Combi set

---

KS M25-gro - Combi set

---

KS M32 - Combi set

---

KST M25-17 - Combi connector

---

KST M25-33 - Combi connector

---

KST M32 - Combi connector

---

WST M20 - Twist plug

---

WST M25 - Twist plug

---

WST M32 - Twist plug

---

WST M40 - Twist plug

---

WST M50 - Twist plug

---

WNI M20 - Twist nipple

---

WNI M25 - Twist nipple

---

WNI M32 - Twist nipple

---

SNI M20 - Stepped nipple

---

SNI M25 - Stepped nipple

---

SNI M32 - Stepped nipple

---

SNI M40 - Stepped nipple

---

KVR M20-MGM - Cable gland

---

KVR M20-GDB/MGM - Cable gland

---

KVR M25-MGM - Cable gland

---

KVR M32-MGM - Cable gland

---

KVR M40-MGM - Cable gland

---

KVR M50-MGM - Cable gland

---

AST M20 - Attachment bushes

---

AST M25 - Attachment bushes

---

AST M32 - Attachment bushes

---

AST M40 - Attachment bushes

---

AST M32/or - Attachment bushes

---

VST M20 - Sealing plugs

---

VST M25 - Sealing plugs

---

VST M32 - Sealing plugs

---

VST M40 - Sealing plugs

---

DMS M20/w - M20, white

---

DMS M25/w - M 25, white

---

DMS M20 - Double-membrane seals

---

DMS M25 - Double-membrane seals

---

DMS M32 - Double-membrane seals

---

DMS M32/4 - Double-membrane seals

---

DMS M40 - Double-membrane seals

---

BST M20/sw - Ventilation seal

---

BST M20 - Ventilation seal

---

Abox 250/350 KLS-25<sup>2</sup>/35<sup>2</sup> - Terminal block

---

Abox 350 MPI - Mounting plate

---