

Junction box

Abox HA 350



Abox HA 350

Junction box

CUSTOMIZABLE

Productnumber: 48043501

Dimensions: 250 x 250 x 115 mm

Junction box acc. to DIN EN 60670 (VDE 0606), with main cable junction terminal, 35 mm², with IP54 attachment bushes, with blanking plug M40, with twist nipple M50, screw terminal 4-pole 35 mm², input per pole 2 x 35 mm², output per pole 4 x 35 mm², with sealing kit

Grey, with 4 pole screw terminal 35 mm²

IP54
IP65

35²

IK07



690V
AC



Technical Data

electrical characteristics

Protection type UL:	not specified
Rated insulation voltage AC:	690 V
Type of protection:	IP54/IP65
Circuit integrity class:	none
Max. conductor cross section:	35 mm ²
Protection class:	II

Dimensions

Length:	250 mm
Width:	250 mm
Height:	115 mm

Material characteristics

suitable for exterior use:	no
Halogen free:	yes
Industry quality:	no

mechanical properties

Type of fastening:	Wall/ceiling mounting
Sealable:	no
Impact strength:	IK07

Ambient conditions

max. relative humidity 25°C:	95 %
max. relative humidity 40°C:	50 %
Min. ambient temperature:	-25
Max. ambient temperature:	40
24h ambient temperature:	35

Material

Base unit material:	Polystyrene
Cover material:	Polystyrene
Cover screw material:	Stainless steel V2A

Certificates

Test mark:	Vattenfall
------------	------------

Accessories

KS M25 - Combi set

KS M25-gro - Combi set

KS M32 - Combi set

KST M25-17 - Combi connector

KST M25-33 - Combi connector

KST M32 - Combi connector

WST M20 - Twist plug

WST M25 - Twist plug

WST M32 - Twist plug

WST M40 - Twist plug

WST M50 - Twist plug

WNI M20 - Twist nipple

WNI M25 - Twist nipple

WNI M32 - Twist nipple

KVR M20-MGM - Cable gland

KVR M20-GDB/MGM - Cable gland

KVR M25-MGM - Cable gland

KVR M32-MGM - Cable gland

KVR M40-MGM - Cable gland

KVR M50-MGM - Cable gland

AST M20 - Attachment bushes

AST M25 - Attachment bushes

AST M32 - Attachment bushes

AST M40 - Attachment bushes

VST M20 - Sealing plugs

VST M25 - Sealing plugs

VST M32 - Sealing plugs

VST M40 - Sealing plugs

DMS M20/w - M20, white

DMS M25/w - M 25, white

DMS M20 - Double-membrane seals

DMS M25 - Double-membrane seals

BST M20/sw - Ventilation seal

BST M20 - Ventilation seal
